



WHITE MACAUBAS

Technical Details



WHITE MACAUBAS

Macaubas White is an off-white quartzite. Light longitudinal glazes in ivory tones and thin linear grey veins run through its warm and luminous background.

It is renowned for its elegant blend of soft tones that provide sobriety without sacrificing personality. The drawing of its lines gives it a singular aspect because they seem to be made by hand raised with graphite.


The quartzite has a high resistance, a property from which benefits Macaubas White, being suitable for both interior and exterior floors and cladding. Architects and designers trust in the binomial of sophistication and resistance of this natural stone to cover luxury villas and large hotel projects.



MECHANICAL PHYSICAL PROPERTIES

PROPERTIES	STANDARD	VALUE
Water Absorption	UNE EN 13755	0,13%
Flexural Strength	UNE EN 12372	18.5 Mpa
Bluk Density	UNE EN 1936	2,65 g/cm3
Compression strength	UNE EN 1926	156,4 Mpa
Open Porosity	UNE EN 1936	0.35%

Technical information included in this document has been obtained from one or several standarized tests. Values may vary in later tests due to natural stone variation, as it is a product obtained from nature.



SIZES

Sizes can be adapted to each project requirements. Standard thickness is 2cm and maximum size for this thickness is 240x140cm. For other thickness check available sizes.

Dimensional tolerance limits according to standards UNE-EN 12058 and UNE-EN 1341.

Standard surface finishes are:

 **POLISHED**

 **HONED**

 **DOMUS**

 **SANDBLASTED**

RECOMMENDED USES

	RESIDENTIAL	COMMERCIAL
Indoor Cladding	✓	✓
Outdoor Cladding	✓	✓
Indoor Flooring	✓	✓
Outdoor Flooring	✓	PLEASE CHECK
Countertops	PLEASE CHECK	PLEASE CHECK
Others	PLEASE CHECK	PLEASE CHECK

***PLEASE CHECK:** Use could be permitted. It would be necessary more details about the projects

Tino Group has completed
more than 600 projects with
clients from around the world.

CONTACT US

www.tinostone.com

info@tino.es

MARBELLA

(+34) 952 906 149

Ctra. Na. 340, Km 175 Río Verde
Puerto Banús 29660

MADRID

(+34) 917 811 857

Calle Padilla 30, 28006 Madrid

